


# Large Enclosures NEMA 4, 4X with 3-Point Handles



## Features

- Maintains NEMA rating of enclosure
- Handle opening more user friendly than clamps
- Padlock “trigger” design for security requirements
- Optional key lock available
- Handle can be used on other Hammond enclosures as field installation or installed at factory ... contact Hammond

## Construction

- Formed 12 gauge steel.
- Smooth, continuously welded seams without knockouts, cutouts or holes.
- Lifting eyes provide for easy enclosure handling.
- Doors are supported with heavy gauge continuous hinges.
- **New** 3-pt padlocking door handle.
- Oil resistant gaskets are permanently secured and mechanically retained.
- A grounding stud is provided in the enclosure and a bonding stud is provided on the door.

### Only on Single Door

- Mounting channels are welded on the inside of the enclosure for mounting of optional inner panels or rack equipment rails.

### Only on Double Door

- Center post is removable for easy installation of the inner panel.
- 12” floor stands are welded to the enclosure.

## Finish

- NEMA 4 painted enclosures are provided in a recoatable smooth ANSI 61 gray powder coating on the inside and outside.
- NEMA 4X stainless steel available in either Type 304 or Type 316 stainless.
- Inner panels (included on double door floor mount only) are finished in white powder coating.
- Panels for single door sold separately

## Standards




- UL 508 Type 3R, 4 and 12 (\*)
- CSA Type 3R, 4 and 12 (\*)
- Complies with:
  - » NEMA Type 3R, 4, 12 and 3 (\*)
  - » IEC 60529, IP66

\* Type 4X on stainless steel series





## Double Door Floormount Enclosures w/ 3-pt Handle


**FRONT VIEW**

**SECTION Y-Y**

**SECTION X-X**

### Mild Steel - Double Door

Part No.	Overall				Inner Panel (Included)	
	A	B	C	D	E	
HN4FM604810	60.13	48.06	10.69	56.00	44.00	
HN4FM606012	60.13	60.06	12.69	56.00	56.00	
HN4FM726012	72.13	60.06	12.69	68.00	56.00	
HN4FM727212	72.13	72.06	12.69	68.00	68.00	
HN4FM727224	72.13	72.06	24.69	68.00	68.00	

### Stainless Steel - Double Door

304 SS Part No.	316 SS Part No.	Overall				Inner Panel (Included)	
		A	B	C	D	E	
HN4FM604812SS	HN4FM604812S16	60.13	48.06	12.69	56.00	44.00	
HN4FM604818SS	HN4FM604818S16	60.13	48.06	18.69	56.00	44.00	
HN4FM606012SS	HN4FM606012S16	60.13	60.06	12.69	56.00	56.00	
HN4FM726012SS	HN4FM726012S16	72.13	60.06	12.69	68.00	56.00	
HN4FM727212SS	HN4FM727212S16	72.13	72.06	12.69	68.00	68.00	
HN4FM727224SS	HN4FM727224S16	72.13	72.06	24.69	68.00	68.00	



### 6" Handle Construction

- Durable zinc die cast or stainless steel
- Padlockable trigger provides security
- Removable handle stop for clockwise / counter-clockwise operation
- Textured powder coat Black finish on zinc cast handle

### Features

- Maintains NEMA rating of enclosure
- Padlock "trigger" design for security requirements
- Optional key lock or defeater available
- Handle can be used on other Hammond enclosures as field installation or installed at factory ... contact Hammond

Part No.	Description	Material	NEMA Rating
MHK1	6" PADLOCKING 1PT. LATCH	Zinc	4
MHK2	6" PADLOCKING 3PT < 60"	Zinc	4
MHK3	6" PADLOCKING 3PT > 60"	Zinc	4
MHKD1	6" PADLOCKING DEFEATER 1PT LATCH	Zinc	4
MHKD2	6" PADLOCKING DEFEATER 3PT < 60"	Zinc	4
MHKD3	6" PADLOCKING DEFEATER 3PT > 60"	Zinc	4
MHKL1	6" KEYED PADLOCKING 1PT LATCH	Zinc	4
MHKL2	6" KEYED PADLOCKING 3PT < 60"	Zinc	4
MHKL3	6" KEYED PADLOCKING 3PT > 60"	Zinc	4
MHK1SS	6" SS PADLOCKING 1PT LATCH	316 SS	4X
MHK2SS	6" SS PADLOCKING 3PT LATCH < 60"	316 SS	4X
MHK3SS	6" SS PADLOCKING 3PT LATCH > 60"	316 SS	4X
MHKD1SS	6" SS PADLOCKING DEFEATER 1PT LATCH	316 SS	4X
MHKD2SS	6" SS PADLOCKING DEFEATER 3PT < 60"	316 SS	4X
MHKD3SS	6" SS PADLOCKING DEFEATER 3PT > 60"	316 SS	4X
MHKL1SS	6" SS KEYED PADLOCKING 1PT LATCH	316 SS	4X
MHKL2SS	6" SS KEYED PADLOCKING 3PT < 60"	316 SS	4X
MHKL3SS	6" SS KEYED PADLOCKING 3PT > 60"	316 SS	4X

## NEED HOLES, CUTOUTS, PAINT CHANGE OR A CUSTOM SIZE?

Call Hammond today and ask about our extensive modification services.

#### CANADA:

Hammond Manufacturing Co. Ltd.  
 394 Edinburgh Rd North  
 Guelph , ON N1H 1E5  
 Tel: (519) 822-2960  
 Fax: (519) 822-0715

Les Fabrications Hammond Inc.  
 4240 Rue Seré  
 St. Laurent, Quebec H4T 1A6  
 Tel: (514) 343-9010  
 Fax: (514) 343-9941

#### USA:

Hammond Mfg. Co. Inc.  
 475 Cayuga Rd.  
 Cheektowaga, NY 14225  
 Tel: (716) 630-7030  
 Fax: (716) 630-7042

#### UNITED KINGDOM:

Hammond Electronics Limited  
 1 Onslow Close  
 Kingsland Business Park  
 Basingstoke, Hampshire,  
 RG24 8QL  
 Tel: +44 1256 812812  
 Fax: +44 1256 332249

#### AUSTRALIA:

Hammond Electronics Pty. Ltd.  
 11-13 Port Road  
 Queenstown, SA 5014  
 Tel: +61 8 8240 2244  
 Fax: +61 8 8240 2255