



Productos de calidad. Excelencia en el servicio.

Vertical Cable Manager with Door for Open Frame Racks *RB-VCM Serie*

Cost-effective vertical cable manager with hinged door designed for basic cable routing and organization in open frame racks.

TOP SELLER



Key Features and Benefits

- 16-gauge steel construction provides durable cable routing and basic cable organization for IT, AV, and network installations.
- Cost-effective design delivers vertical cable management for single or multiple rack installations.
- Hinged door with magnetic closure provides cable containment and easy access.
- All-steel construction with side and rear cut-outs supports flexible cable pass-through and routing.
- Integrated cable mounting lances support hook and loop cable organization without additional accessories.
- Horizontal stabilizers swing away during installation and return for structural support.
- Separated internal space allows cables to be added or removed without fishing through bundles.
- Mounts to either side of open frame racks and is compatible with Hammond and many third-party racks.
- Available in multiple heights (24U–48U) to match rack configurations.
- TAA-compliant, manufactured in North America supports government procurement requirements and ensures consistent quality.
- Black powder coat finish (GREENGUARD, TSCA, RoHS compliant) supports indoor air quality and environmental compliance.

RACK BASICS®

A HAMMOND BRAND



The RB-VCM Series vertical cable managers provide a cost-effective solution for organizing cables in open frame rack systems. Designed with a simple enclosed channel and hinged door, they allow cables to be routed vertically while maintaining accessibility and a clean appearance.

Unlike high-density finger duct cable managers, the RB-VCM Series focuses on simplicity and ease of installation. Features such as swing-away stabilizers, integrated cable lances, and open pass-through cutouts make it ideal for standard-density applications where speed and affordability are key.

Where the RB-VCM Series Works Best

- Small to mid-size IT installations.
- Network and telecom closets.
- AV and low-voltage installations.
- Standard-density open frame rack deployments.
- Budget-conscious projects.

Best Applications for the RB-VCM Series

- Organizing vertical cable runs in open frame racks.
- Managing moderate cable volumes between rack-mounted equipment.
- Supporting clean cable routing without high-density requirements.
- Providing basic cable containment with easy access.

Part of the Rack Basics® line designed for simple, reliable, and affordable installations.

Accesorios

- Vertical Cable Manager Extensions
- Hook and Loop Cable Straps Pre-Cut 96 Inch



| Part No. | Overall Dimensions (Inches) | | | Mounting Dimensions | | Door Included |
|----------|-----------------------------|-------|-------|---------------------|------------|---------------|
| | Height | Width | Depth | Units | Rack Units | |
| RB-VCM24 | 47.00 | 6.00 | 5.00 | 42.00 | 24 | Yes |
| RB-VCM36 | 68.00 | 6.00 | 5.00 | 63.00 | 36 | Yes |
| RB-VCM40 | 75.00 | 6.00 | 5.00 | 70.00 | 40 | Yes |
| RB-VCM44 | 82.00 | 6.00 | 5.00 | 77.00 | 44 | Yes |
| RB-VCM48 | 89.00 | 6.00 | 5.00 | 85.00 | 48 | Yes |

Estimated Cable Fill Capacities

| Part No. | Description | Opening Quantity | Recommended Cable Fill (50% Fill Ratio) | | Maximum Cable Fill (100% Fill Ratio) | |
|----------|-------------------|------------------|---|--------|--------------------------------------|--------|
| | | | Cat 6 | Cat 6a | Cat 6 | Cat 6a |
| RB-VCM44 | Channel Opening | 1 | 149 | 103 | 297 | 207 |
| | Side Opening | 2 x 19 = 38 | 31 | 21 | 61 | 42 |
| | Rear Pass Through | 10 | 28 | 19 | 55 | 38 |

| Part No. | Description | Opening Quantity | Recommended Cable Fill (50% Fill Ratio) | | Maximum Cable Fill (100% Fill Ratio) | |
|----------|-------------------|---------------------|---|--------|--------------------------------------|--------|
| | | | Cat 6 | Cat 6a | Cat 6 | Cat 6a |
| RB-VCM48 | Channel Opening | 1 | 149 | 103 | 297 | 207 |
| | Side Opening | 2 x 21 = 42 | 31 | 21 | 61 | 42 |
| | Rear Pass Through | 11 | 28 | 19 | 55 | 38 |

Cable Manager > Hammond Rack Compatability

| Part No. | RB-2P | RB-2PS | RB-2PA19 | RB-2PA23 | DNRR (19") | DNRR (23") | DC4R | DRZ4 |
|----------|---------|--------------|--------------|--------------|------------|--------------|--------|--------|
| RB-VCM24 | RB-2P24 | RB-2PS1924BK | - | - | - | - | DC4R24 | - |
| RB-VCM36 | - | RB-2PS1936BK | - | - | DNRR63HDW | - | - | - |
| RB-VCM40 | - | - | - | - | DNRR70HDW | - | - | - |
| RB-VCM44 | RB-2P77 | RB-2PS1945BK | RB-2PA1945BK | RB-2PA2345BK | DNRR77HDW | DNRR2377HDWB | DC4R44 | DRZ477 |
| RB-VCM48 | RB-2P84 | RB-2PS1948BK | - | - | DNRR84HDW | DNRR2384HDWB | - | - |

Tags: **vertical cable manager, rack vertical cable manager, cable manager with door, rack cable organizer vertical, server rack cable manager, budget cable manager**

Datos sujetos a cambios sin previo aviso

© 2026. Hammond Manufacturing Ltd. Todos los derechos reservados.